

CORRECTED VERSION

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
13 January 2005 (13.01.2005)


PCT

(10) International Publication Number  
**WO 2005/002704 A1**

- (51) International Patent Classification<sup>7</sup>: **B01D 25/24**
- (21) International Application Number:  
PCT/DK2004/000474
- (22) International Filing Date: 2 July 2004 (02.07.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
PA 2003 01002 2 July 2003 (02.07.2003) DK
- (71) Applicant (for all designated States except US): **DMA SORPTION APS** [DK/DK]; Skelstedet 5, DK-2950 Vedbæk (DK).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **OLSEN, Ole** [DK/DK]; Skovvej 77D, DK-2920 Charlottenlund (DK). **LARSEN, Lise, Nøhr** [DK/DK]; Ingeborgvej 21, DK-2920 Charlottenlund (DK).
- (74) Agent: **HØIBERG A/S**; St. Kongensgade 59A, DK-1264 Copenhagen K (DK).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report
- (48) Date of publication of this corrected version:  
10 March 2005

[Continued on next page]

(54) Title: A FILTER



(57) Abstract: The present invention relates to a filter for liquid filtration, the construction of the filter ensure increased filtration capacity by using up the filtration medium rather than clogging up. The filter comprises layers of filtration medium (2) and optionally also layers of spacer medium (1). Liquid to be filtered can through bypass spaces circumvent a number of layers of filtration and/or spacer medium and is by at least one sealing (3) directed through the filtering area of the filtration medium. End caps (5) with perforations (6) allow the liquid to be distributed within the bypass space between the edges of the layers of filtration medium and spacer medium. Rolled filters with a central core (4) to drain off the filtered liquid can be constructed in large dimensions. Also disclosed is a method of making the filter. The filters are suitable for many purposes, especially for filtering liquid with oil.

BEST AVAILABLE COPY



**(15) Information about Correction:**

see PCT Gazette No. 10/2005 of 10 March 2005, Section II

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
13 January 2005 (13.01.2005)


PCT

(10) International Publication Number  
**WO 2005/002704 A1**

- (51) International Patent Classification<sup>7</sup>: **B01D 25/24** (74) Agent: **HØIBERG A/S**; St. Kongensgade 59A, DK-1264 Copenhagen K (DK).
- (21) International Application Number:  
PCT/DK2004/000474
- (22) International Filing Date: 2 July 2004 (02.07.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
PA 2003 01002 2 July 2003 (02.07.2003) DK
- (71) Applicant (for all designated States except US): **DMA SORPTION APS** [DK/DK]; Skelstedet 5, DK-2950 Vedbæk (DK).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **OLSEN, Ole** [DK/DK]; Skovvej 77D, DK-2920 Charlottenlund (DK). **LARSEN, Lise, Nøhr** [DK/DK]; Ingebogvej 21, DK-2920 Charlottenlund (DK).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: A FILTER



(57) Abstract: The present invention relates to a filter for liquid filtration, the construction of the filter ensure increased filtration capacity by using up the filtration medium rather than clogging up. The filter comprises layers of filtration medium (2) and optionally also layers of spacer medium (1). Liquid to be filtered can through bypass spaces circumvent a number of layers of filtration and/or spacer medium and is by at least one sealing (3) directed through the filtering area of the filtration medium. End caps (5) with perforations (6) allow the liquid to be distributed within the bypass space between the edges of the layers of filtration medium and spacer medium. Rolled filters with a central core (4) to drain off the filtered liquid can be constructed in large dimensions. Also disclosed is a method of making the filter. The filters are suitable for many purposes, especially for filtering liquid with oil.

BEST AVAILABLE COPY



**Published:**

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*